ROADX TYRE

PASSENGER & LIGHT TRUCK TYRES

CATALOGUE



WWW.ROADXTYRE.COM

CONTENTS

SUMMER

PASSENGER
- PERFORMA 10
- DU71 16

SUV
- SPORT SUV 24
- H/T01 26
- H/T02 28

VAN / COMMERCIAL
- CARGOMAX 34

4X4

OFF ROAD
- AT21 36
- NEW! R/T 38
- M/T 38

ALL SEASON

PASSENGER
- 4S 40
- NEW! MULTISEASON 40

VAN / COMMERCIAL
- VAN 4S 42

WINTER


PASSENGER
- WU01 44
- ARCTIC 46
- WH01 48
- WH03 50
- WH12 52

VAN / COMMERCIAL
- WC01 54
- WCS01 56

ROADX TYRE

RXMOTION


PRODUCT POSITIONING



ROADX-PC

RXQUEST


PRODUCT POSITIONING



ROADX-SUV/VAN

RXFROST

PRODUCT POSITIONING



ROADX-WINTER

RXMOTION

PERFORMA HP

All round performance that lasts.



HANDLING COMFORT DRAINAGE SILENCE



IMPROVED WEAR AND LONGER MILEAGE

Compound effectively balances wear resistance and rolling resistance performance while improving tyre grip.

OPTIMISED FUEL AND ENERGY CONSUMPTION

Upgraded compound effectively balances wear resistance and rolling resistance performance. Fuel efficiency improved by 30%[1] vs previous generation.

EXCEPTIONAL WET GRIP PERFORMANCE

Four wide longitudinal grooves and horizontal grooves on the shoulders can quickly evacuate water and provide excellent anti-slip performance.The lateral grooves and grooves on the shoulders can quickly disperse water to ensure the tyre can effectively contact the ground and reduce wet braking distance.



Optimized footprint improve handling and wet braking, moderate contact patch and provide sufficient grip while ensuring drainage performance.

Disclaimers 1. Selective sizes only

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	145/80R13	75	T			D	C	70	B	NO	NO	2515805
13	155/65R13	73	T			D	B	70	B	NO	NO	2379639
13	155/70R13	75	T			D	B	70	B	NO	NO	2379641
13	155/80R13	79	T			D	B	70	B	NO	NO	2379773
13	165/65R13	77	T			C	C	70	B	NO	NO	2515798
13	165/70R13	79	T			D	B	70	B	NO	NO	2379643
13	165/80R13	83	T			D	B	70	B	NO	NO	2379774
13	175/70R13	82	T			D	B	70	B	NO	NO	2379645
14	155/65R14	75	T			D	B	70	B	NO	NO	2379780
14	165/60R14	75	H			D	B	70	B	NO	NO	2379776
14	165/65R14	79	T			D	B	70	B	NO	NO	2379781
14	165/70R14	81	T			D	B	70	B	NO	NO	2379788
14	175/65R14	82	T			D	B	70	B	NO	NO	2379783

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/65R14	82	H			D	B	70	B	NO	NO	2379784
14	175/65R14	86	T		XL	D	B	70	B	NO	NO	2379786
14	175/70R14	84	T			D	B	70	B	NO	NO	2379789
14	175/70R14	88	T		XL	C	B	70	B	NO	NO	2379792
14	185/55R14	80	V			D	B	70	B	NO	NO	2214325
14	185/60R14	82	H			D	B	70	B	NO	NO	2379779
14	185/65R14	86	H			D	B	70	B	NO	NO	2379787
14	185/70R14	88	H			C	B	70	B	NO	NO	2515776
14	195/70R14	91	H			C	B	71	B	NO	NO	2515785
15	155/60R15	74	T			D	B	70	B	NO	NO	2379793
15	165/60R15	77	H			B	C	70	B	NO	NO	2515809
15	165/65R15	81	H			D	B	70	B	NO	NO	2214170
15	175/55R15	77	H			D	B	70	B	NO	NO	2214320
15	175/60R15	81	H			D	B	70	B	NO	NO	2515804
15	175/65R15	88	H		XL	C	B	70	B	NO	NO	2214321
15	175/65R15	84	H			D	B	70	B	NO	NO	2214323
15	185/55R15	82	V			D	B	70	B	NO	NO	2214328
15	185/60R15	88	H		XL	C	B	70	B	NO	NO	2214339
15	185/60R15	84	H			D	B	70	B	NO	NO	2214342
15	185/65R15	92	H		XL	C	B	70	B	NO	NO	2214344
15	185/65R15	88	H			C	B	70	B	NO	NO	2214348
15	195/45R15	78	V			C	B	71	B	NO	NO	2515803
15	195/50R15	82	V			D	B	71	B	NO	NO	2214359
15	195/55R15	85	V			C	B	71	B	NO	NO	2214365
15	195/60R15	88	V			C	B	71	B	NO	NO	2214377
15	195/60R15	88	H			C	B	71	B	NO	NO	2214394
15	195/65R15	95	H		XL	C	A	71	B	NO	NO	2406066
15	195/65R15	91	V			C	A	71	B	NO	NO	2406068
15	195/65R15	91	H			C	A	71	B	NO	NO	2406070
15	205/60R15	95	V		XL	C	B	71	B	NO	NO	2214518
15	205/65R15	94	V			C	B	71	B	NO	NO	2214534
15	205/70R15	96	H			C	B	71	B	NO	NO	2214541
15	215/65R15	96	V			C	B	71	B	NO	NO	2214565
16	175/60R16	82	H			D	B	70	B	NO	NO	2515808
16	185/55R16	87	V		XL	C	B	70	B	NO	NO	2214329
16	185/55R16	83	V			D	B	70	B	NO	NO	2214336
16	195/45R16	84	W		XL	C	B	71	B	NO	NO	2214352
16	195/45R16	84	V		XL	C	B	71	B	NO	NO	2214354
16	195/50R16	88	V		XL	C	B	71	B	NO	NO	2214363
16	195/55R16	91	V		XL	C	A	71	B	NO	NO	2406062
16	195/55R16	87	V			C	A	71	B	NO	NO	2406065
16	195/60R16	89	V			C	B	71	B	NO	NO	2214397
16	205/45R16	87	W		XL	C	B	71	B	NO	NO	2214409
16	205/55R16	91	V			C	A	71	B	NO	NO	2406080
16	205/55R16	94	V		XL	C	A	71	B	NO	NO	2406073
16	205/60R16	96	V		XL	C	A	71	B	NO	NO	2406083
16	205/60R16	92	V			C	A	71	B	NO	NO	2406086
16	205/65R16	95	H			C	B	71	B	NO	NO	2214538
16	215/45R16	90	V		XL	B	B	71	B	NO	NO	2515807
16	215/60R16	99	V		XL	C	B	71	B	NO	NO	2214554
16	215/60R16	95	V			C	B	71	B	NO	NO	2214560
16	215/65R16	98	H			C	B	71	B	NO	NO	2214566
16	225/60R16	102	V		XL	C	B	71	B	NO	NO	2214571
16	235/60R16	100	V			C	B	71	B	NO	NO	2214572
17	175/65R17	87	H			C	C	70	B	NO	NO	2498689
17	205/55ZR17	95	Y		XL	C	B	71	B	NO	NO	2214513
17	215/55R17	98	W		XL	C	B	71	B	NO	NO	2214543
17	215/65R17	103	V		XL	C	B	71	B	NO	NO	2214567
18	195/60R18	96	H		XL	C	B	71	B	NO	NO	2498637
18	215/55R18	99	V		XL	C	B	71	B	NO	NO	2214547

RXMOTION

ROADX TYRE

DU71

UHP

Innovative high performance tyre that combines comfort and fuel economy.





FUEL ECONOMY

The tread compound effectively reduces rolling resistance for greater fuel economy.



DRIVING COMFORT

The varied pitch design better absorbs vibrations to improve driving comfort.

OVERALL PERFORMANCE

The asymmetric tread pattern improves grip and handling for more responsive steering and braking.



Tread pattern design effectively expels water to allow for greater grip and handling on wet roads.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
16	205/55ZR16	91	Y			C	A	71	B			1843200
16	205/55ZR16	94	Y		XL	C	A	71	B			1843202
16	215/55ZR16	97	W		XL	C	A	71	B			1960851
16	225/55ZR16	99	W		XL	C	A	71	B			1960852
17	205/40ZR17	84	Y		XL	C	A	71	B			1843246
17	205/45ZR17	88	W		XL	C	A	71	B			1843232
17	205/50ZR17	93	W		XL	C	A	71	B			1843233
17	215/40ZR17	87	Y		XL	C	A	71	B			1843303
17	215/45ZR17	91	Y		XL	C	A	71	B			1960842
17	215/50ZR17	95	W		XL	C	A	71	B			1960845
17	215/55ZR17	98	W		XL	C	A	71	B			1960847
17	225/45ZR17	94	Y		XL	C	A	71	B			1960854
17	225/50ZR17	98	W		XL	C	A	71	B			1960856
17	225/55ZR17	101	W		XL	C	A	71	B			1960857

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
17	235/45ZR17	97	Y		XL	C	A	71	B	NO	NO	1960859
17	235/50ZR17	100	W		XL	C	A	71	B	NO	NO	1843282
17	245/40ZR17	95	Y		XL	C	A	71	B	NO	NO	2552407
17	245/45ZR17	99	Y		XL	C	A	71	B	NO	NO	1843288
18	205/40ZR18	86	Y		XL	C	A	71	B	NO	NO	2302780
18	215/40ZR18	89	Y		XL	C	A	71	B	NO	NO	1843309
18	215/45ZR18	93	Y		XL	C	A	71	B	NO	NO	1843283
18	215/50ZR18	96	W		XL	C	A	71	B	NO	NO	1843221
18	225/35ZR18	87	Y		XL	C	A	71	B	NO	NO	2302783
18	225/40ZR18	92	Y		XL	C	A	71	B	NO	NO	1843235
18	225/45ZR18	95	Y		XL	C	A	71	B	NO	NO	1960861
18	225/50ZR18	99	Y		XL	C	A	71	B	NO	NO	1843209
18	235/40ZR18	95	Y		XL	C	A	71	B	NO	NO	1843236
18	235/45ZR18	98	Y		XL	C	A	71	B	NO	NO	1960863
18	235/50ZR18	101	Y		XL	C	A	71	B	NO	NO	1843206
18	245/35ZR18	92	Y		XL	C	A	71	B	NO	NO	2552404
18	245/40ZR18	97	Y		XL	C	A	71	B	NO	NO	1960865
18	245/45ZR18	100	Y		XL	C	A	71	B	NO	NO	1960866
18	255/35ZR18	94	Y		XL	C	A	71	B	NO	NO	1843273
18	255/40ZR18	99	Y		XL	C	A	71	B	NO	NO	2302788
18	255/45ZR18	103	Y		XL	C	A	71	B	NO	NO	1843276
18	265/35ZR18	97	Y		XL	C	A	71	B	NO	NO	1843250
18	275/40ZR18	103	Y		XL	C	A	71	B	NO	NO	1843298
19	205/55R19	97	V		XL	C	A	71	B	NO	NO	2302782
19	225/35ZR19	88	Y		XL	C	A	71	B	NO	NO	2302775
19	225/40ZR19	93	Y		XL	C	A	71	B	NO	NO	1843251
19	225/45ZR19	96	Y		XL	C	A	71	B	NO	NO	1843207
19	235/35ZR19	91	Y		XL	C	A	71	B	NO	NO	1843279
19	235/40ZR19	96	Y		XL	C	A	71	B	NO	NO	1843274
19	235/45ZR19	99	Y		XL	C	A	71	B	NO	NO	1843248
19	245/35ZR19	93	Y		XL	C	A	71	B	NO	NO	1843305
19	245/40ZR19	98	Y		XL	C	A	71	B	NO	NO	1843286
19	245/45ZR19	102	Y		XL	C	A	71	B	NO	NO	1960867
19	255/30ZR19	91	Y		XL	C	A	71	B	NO	NO	2552401
19	255/35ZR19	96	Y		XL	C	A	71	B	NO	NO	1843238
19	255/40ZR19	100	Y		XL	C	A	71	B	NO	NO	1843287
19	255/45ZR19	104	Y		XL	C	A	71	B	NO	NO	1843229
19	265/35ZR19	98	Y		XL	C	A	71	B	NO	NO	1843292
19	275/30ZR19	96	Y		XL	C	A	71	B	NO	NO	2552397
19	275/35ZR19	100	Y		XL	C	A	71	B	NO	NO	1843293
19	275/40ZR19	105	Y		XL	C	A	71	B	NO	NO	1843301
19	285/30ZR19	98	Y		XL	C	A	73	B	NO	NO	1843227
19	285/40ZR19	107	Y		XL	C	A	73	B	NO	NO	1843228
20	225/35ZR20	90	Y		XL	C	A	71	B	NO	NO	2302777
20	235/35ZR20	92	Y		XL	C	A	71	B	NO	NO	2302784
20	235/45ZR20	100	W		XL	C	A	71	B	NO	NO	1843281
20	245/30ZR20	90	Y		XL	C	A	71	B	NO	NO	1843230
20	245/35ZR20	95	Y		XL	C	A	71	B	NO	NO	1843242
20	245/40ZR20	99	Y		XL	C	A	71	B	NO	NO	1843284
20	245/45ZR20	103	Y		XL	C	A	71	B	NO	NO	1843285
20	255/30ZR20	92	Y		XL	C	A	71	B	NO	NO	2302781
20	255/35ZR20	97	Y		XL	C	A	71	B	NO	NO	1843313
20	255/40ZR20	101	Y		XL	C	A	71	B	NO	NO	1843289
20	255/45ZR20	105	Y		XL	C	A	71	B	NO	NO	1843290
20	275/30ZR20	97	Y		XL	C	A	71	B	NO	NO	1843315
20	275/35ZR20	102	Y		XL	C	A	71	B	NO	NO	1843297
20	275/40ZR20	106	Y		XL	C	A	71	B	NO	NO	1843302
20	275/45ZR20	110	Y		XL	C	A	71	B	NO	NO	1960848
20	305/40ZR20	112	Y		XL	C	A	73	B	NO	NO	1843225
20	315/35ZR20	110	Y		XL	C	A	73	B	NO	NO	1843247
						RXMOTION DU71 EV						
18	235/45ZR18	98	W		XL	B	A	70	B	NO	NO	2028238
20	255/40ZR20	101	W		XL	B	A	70	B	NO	NO	2028234

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXMOTION

SPORT

SUV

Ultra-high-performance tyre Designed for SUV



HANDLING DRAINAGE SILENCE BRAKING HIGH DURABILITY



TAILORED FOR HIGH-PERFORMANCE SUVS

The RXMOTION SPORT SUV tyre is crafted to accommodate robust, high-performance SUVs

IMPROVED DRY ROAD GRIP AND WET ROAD BRAKING

The new asymmetric pattern design, using rigid large tread block design on the outside, brings excellent dry road grip and cornering ability.

DURABLE TREAD PATTERN FOR EXTENDED LIFE

Improved compound effectively balances wear resistance and rolling resistance performance

NOISE REDUCTION AND ENHANCED DRIVING COMFORT PRIORITIZED IN DESIGN

Tread engineered for noise reduction, and tyre structure optimized to enhance comfort and acoustics

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
17	235/55R17	103	W		XL	B	A	71	B	NO	NO	2446946
18	225/55R18	102	W		XL	B	A	71	B	NO	NO	2446944
18	225/60R18	100	V			C	A	71	B	NO	NO	2446945
18	235/55R18	104	W		XL	B	A	71	B	NO	NO	2446947
18	235/60R18	107	W		XL	B	A	71	B	NO	NO	2446949
18	255/55R18	109	Y		XL	B	A	71	B	NO	NO	2446952
18	255/60R18	112	V		XL	B	A	71	B	NO	NO	2446955
18	265/60R18	110	V			C	A	71	B	NO	NO	2446960
19	225/55R19	103	W		XL	B	A	71	B	NO	NO	2283899
19	235/50R19	99	W			C	A	71	B	NO	NO	2283901
19	235/55R19	105	W		XL	B	A	71	B	NO	NO	2271562
19	255/50R19	107	W		XL	B	A	71	B	NO	NO	2271566
19	255/55R19	111	W		XL	B	A	71	B	NO	NO	2283928
19	265/50R19	110	W		XL	C	A	71	B	NO	NO	2283951
19	285/45R19	111	Y		XL					NO	NO	
20	235/50R20	104	W		XL	C	A	71	B	NO	NO	2283909
20	255/50R20	109	W		XL	C	A	71	B	NO	NO	2283926
20	255/55R20	110	W		XL	C	A	71	B	NO	NO	2283931
20	265/45R20	108	W		XL	C	A	71	B	NO	NO	2283944
20	265/50R20	111	Y		XL	C	A	71	B	NO	NO	2446957
20	285/40R20	108	W		XL	C	A	73	B	NO	NO	2285193
20	285/45R20	112	W		XL	B	A	73	B	NO	NO	2285203
21	245/40R21	100	W		XL	C	A	71	B	NO	NO	2283917
21	255/35R21	98	W		XL	C	A	71	B	NO	NO	2283920
21	255/40R21	102	Y		XL	B	A	71	B	NO	NO	2446951
21	265/40R21	105	W		XL	C	A	71	B	NO	NO	2283935
21	265/45R21	108	W		XL	C	A	71	B	NO	NO	2283948
21	275/35R21	103	W		XL	C	A	71	B	NO	NO	2283954
21	275/40R21	107	W		XL	C	A	71	B	NO	NO	2283961
21	275/45R21	110	W		XL	B	A	71	B	NO	NO	2283972
21	285/40R21	109	W		XL	B	A	73	B	NO	NO	2285195
21	285/45R21	113	W		XL	C	A	73	B	NO	NO	2285208
21	295/35R21	107	W		XL	B	A	73	B	NO	NO	2285213
21	315/35R21	111	W		XL	C	A	73	B	NO	NO	2285219
21	315/40R21	115	W		XL	B	A	73	B	NO	NO	2285222
22	265/40R22	106	W		XL	C	A	71	B	NO	NO	2283939
22	275/35R22	104	W		XL	B	A	71	B	NO	NO	2283958
22	275/40R22	107	W		XL	C	A	71	B	NO	NO	2283967
22	285/35R22	106	Y		XL	B	A	73	B	NO	NO	2446963
22	285/40R22	110	W		XL	C	A	73	B	NO	NO	2285198
22	285/45R22	114	W		XL	C	A	73	B	NO	NO	2285210
22	295/40R22	112	Y		XL	B	A	73	B	NO	NO	2446968
22	315/30R22	107	W		XL	B	A	73	B	NO	NO	2285216

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXQUEST

H/T01

SUV

Optimized high performance urban on and off-road pattern suitable for pickups and SUVs with excellent endurance and low noise emissions.



ROADX TYRE

WEAR RESISTANCE | HANDLING | CROSS-COUNTRY | BRAKING



ON & OFF-ROAD PERFORMANCE

The ladder-like design within the tread grooves improves tread strength, handling, and effectively reduces stone retention.

WET PERFORMANCE

Wide grooves effectively drain water for improved grip and handling on wet roads.

DRIVING COMFORT

The precision spaced tread blocks and grooves effectively reduce tyre noise emissions.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	205/75R14	95	S			D	D	71	B	YES	NO	441439
14	215/75R14	100	S			D	C	71	B	YES	NO	441487
15	205/70R15	96	T			D	D	71	B	YES	NO	441432
15	205/75R15	97	T			D	C	71	B	YES	NO	441454
15	215/70R15	98	T			D	C	71	B	YES	NO	441476
15	215/75R15	100	T			D	C	71	B	YES	NO	441495
15	215/75R15	100	T			D	C	71	B	YES	NO	441500
15	225/70R15	100	T			D	C	71	B	YES	NO	441530
15	225/70R15	100	T			D	C	71	B	YES	NO	441533
15	225/75R15	102	T			D	C	71	B	YES	NO	441550
15	225/75R15	102	T			D	C	71	B	YES	NO	441558
15	235/75R15	105	S			D	D	71	B	YES	NO	441605
15	235/75R15	105	T			D	D	71	B	YES	NO	441613
15	235/75R15	105	T			D	D	71	B	YES	NO	441617
16	215/65R16	98	T			D	C	71	B	YES	NO	441465
16	215/65R16	98	H			D	C	71	B	YES	NO	441786
16	215/70R16	100	T			D	C	71	B	YES	NO	441481
16	215/70R16	100	H			D	C	71	B	YES	NO	441740
16	225/70R16	103	T			D	C	71	B	YES	NO	441542
16	235/70R16	106	T			C	C	71	B	YES	NO	441597
16	245/70R16	111	T		XL	C	C	72	B	YES	NO	441666
16	255/70R16	111	T			C	C	72	B	YES	NO	441677
16	265/70R16	112	S			C	C	72	B	YES	NO	441710
17	215/60R17	96	H			D	C	71	B	YES	NO	441460
17	225/65R17	102	S			D	D	71	B	YES	NO	441519
17	225/65R17	102	H			D	D	71	B	YES	NO	441750
17	225/65R17	106	H		XL	D	D	71	B	YES	NO	441758
17	235/65R17	104	V			D	C	72	B	YES	NO	758050
17	245/65R17	107	S			C	C	71	B	YES	NO	441649
17	245/65R17	111	T		XL	C	C	71	B	YES	NO	441807
17	265/65R17	112	S			C	C	72	B	YES	NO	441690
17	265/65R17	112	T			C	C	72	B	YES	NO	441819
17	265/70R17	115	T			C	C	72	B	YES	NO	441721
18	235/60R18	107	H		XL	C	C	72	B	YES	NO	441565
18	235/65R18	106	H			C	C	72	B	YES	NO	737865
18	265/65R18	114	H			C	C	72	B	YES	NO	441697

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXQUEST

ROADX TYRE

H/T02

SUV

Truck and SUV tyre that offers excellent endurance and handling performance.



WEAR RESISTANCE | HANDLING | DRAINAGE | SILENCE



WET PERFORMANCE

Tread grooves effectively drain water and improve wet traction for overall enhanced safety.

LONGER LIFE

The tread compound is designed for improved wear resistance therefore offering longer tread life.



DRIVING COMFORT

The tread pitch is optimally designed to reduce noise emissions and offer a more comfortable ride.

SUMMER PERFORMANCE

The asymmetric tread pattern improves handling and braking on wet and dry roads.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	255/70R15	108	T			C	C	72	B	YES	NO	442631
15	265/70R15	112	T			C	C	72	B	YES	NO	442641
16	275/70R16	114	H			C	C	72	B	YES	NO	442996
17	225/60R17	99	H			C	C	71	B	YES	NO	441885
17	235/60R17	102	H			C	C	71	B	YES	NO	442585
17	235/65R17	104	H			C	C	71	B	YES	NO	442596
17	245/70R17	110	T			C	C	71	B	YES	NO	442611
17	255/60R17	106	H			C	C	72	B	YES	NO	442623
17	255/65R17	110	H			C	C	72	B	YES	NO	443016
17	275/65R17	115	H			C	C	72	B	YES	NO	442719
17	285/65R17	116	H			C	C	72	B	YES	NO	443009
18	225/60R18	100	H			C	C	71	B	YES	NO	441893
18	235/55R18	104	V		XL	C	C	72	B	YES	NO	442576
18	235/60R18	107	V		XL	C	C	72	B	YES	NO	442592
18	245/60R18	105	H			C	C	71	B	YES	NO	442604
18	255/55R18	105	V			C	C	72	B	YES	NO	442620
18	255/70R18	116	H		XL	B	C	72	B	YES	NO	737856
18	265/60R18	110	H			C	C	72	B	YES	NO	442638
18	265/70R18	116	T			C	C	72	B	YES	NO	442651
18	275/65R18	116	H		XL	B	C	73	B	YES	NO	737857
18	285/60R18	116	H			B	C	73	B	YES	NO	737862
19	235/55R19	101	V			C	C	71	B	YES	NO	442581
19	235/55R19	105	V		XL	C	C	71	B	YES	NO	443032
19	255/50R19	103	V			C	C	72	B	YES	NO	442616
20	225/35R20	90	W		XL	C	C	71	B	YES	NO	441879
20	245/45R20	103	W		XL	C	C	72	B	YES	NO	442601
20	245/50R20	105	V		XL	B	C	72	B	YES	NO	737855
20	255/50R20	109	V		XL	B	C	72	B	YES	NO	737852
20	255/55R20	110	V		XL	B	C	72	B	YES	NO	737853
20	275/55R20	113	H			C	C	72	B	YES	NO	442655
20	275/60R20	115	S			C	C	72	B	YES	NO	442684
21	275/50R21	113	W		XL	B	C	73	B	YES	NO	1137328
22	275/40ZR22	107	Y		XL	B	C	72	B	YES	NO	443025

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXQUEST

CARGOMAX VAN

Durable summer van tyre for commercial vans.



WEAR RESISTANCE | HANDLING | PUNCTURE RESISTANT | RESILIENT



STRENGTHENED SIDEWALL CONSTRUCTION ENHANCES DURABILITY AND STABILITY.

Enhanced sidewall protection design reinforces impact and puncture resistance elevating safety and reducing tyre fail.

FLAT TREAD CONTOUR MAXIMIZES CONTACT AREA, EXTENDING TYRE LIFE AND MILEAGE.

Refined the internal design to bolster bead rigidity, minimize heat buildup, and enhance tyre durability.

IMPRESSIVE CLASS-LEADING WET GRIP.

Advanced tread compound ensures exceptional wet weather performance.

LOW NOISE AND INCREASED COMFORT.

Modern pattern design minimizes noise, elevates driving comfort, and lessens environmental impact.

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/65R14C	90/88	T	6PR		D	B	71	B	NO	NO	2193624
15	195/70R15C	104/102	R	8PR		C	B	71	B	NO	NO	2193630
15	205/65R15C	102/100	T	6PR		C	B	71	B	NO	NO	2193634
15	205/70R15C	106/104	R	8PR		C	B	71	B	NO	NO	2193637
15	215/65R15C	104/102	T	6PR		C	B	71	B	NO	NO	2193642
15	215/70R15C	109/107	S	8PR		C	B	71	B	NO	NO	2193644
15	225/70R15C	112/110	S	8PR		C	B	71	B	NO	NO	2193651
16	185/75R16C	104/102	R	8PR		C	B	71	B	NO	NO	2481897
16	195/60R16C	99/97	H	6PR		C	B	71	B	NO	NO	2193627
16	195/65R16C	104/102	T	8PR		C	B	71	B	NO	NO	2193628
16	195/75R16C	110/108	R	10PR		C	B	71	B	NO	NO	2193631
16	205/65R16C	107/105	T	8PR		C	B	71	B	NO	NO	2193636
16	205/75R16C	113/111	T	10PR		C	B	71	B	NO	NO	2193638
16	215/60R16C	103/101	T	6PR		C	B	71	B	NO	NO	2193640
16	215/65R16C	109/107	T	8PR		C	B	71	B	NO	NO	2193643
16	215/70R16C	108/106	Q	6PR		C	B	71	B	NO	NO	2481900
16	215/75R16C	116/114	R	10PR		C	B	71	B	NO	NO	2193645
16	225/65R16C	112/110	T	8PR		C	B	71	B	NO	NO	2193647
16	225/75R16C	121/120	R	10PR		B	B	71	B	NO	NO	2193653
16	235/65R16C	121/119	R	10PR		B	B	71	B	NO	NO	2193656
17	215/60R17C	109/107	T	8PR		C	B	71	B	NO	NO	2193641
17	225/55R17C	109/107	H	8PR		C	B	71	B	NO	NO	2193646
17	235/60R17C	117/115	R	10PR		B	B	71	B	NO	NO	2193654

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXQUEST

AT21

SUV-AT

An all weather tyre offering exceptional off-road performance, reduced noise emissions for better driving comfort, and excellent load bearing capabilities.

WEAR RESISTANCE | CROSS-COUNTRY | PUNCTURE RESISTANT | RESILIENT





WET PERFORMANCE

Tread block sipes break through water film and grip snow while tread grooves expel water and snow to offer exceptional wet performance.

SAFETY

Optimized tread controu, wide tread and square shoulder design help to improve overall driving safety.

ON-ROAD PERFORMANCE

Stepped tread block edges effectively reduce stone retention, noise emissions, and improve tyre contact area for better driving responsiveness and comfort.



OFF-ROAD PERFORMANCE

Aggressive shoulder design increases off-road bite while also protecting the rim so you can take on any trail with confidence.



Stepped tread block edges effectively reduce stone retention, reduce noise emissions, and improve tyre contact area for exceptional braking and traction on dry surfaces.

The protruding sidewall blocks protect the tyre in extreme off-road conditions while also offering extra traction in mud.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	195/80R15	96	T			D	D	72	B	YES	YES	2437047
15	215/75R15	100	T			D	D	72	B	YES	YES	1427307
15	235/75R15	109	T		XL	C	D	72	B	YES	YES	1427325
15	255/70R15C	112/110	S	8PR		C	B	73	B	YES	YES	2205975
15	31×10.50R15LT	109	S	6PR		D	B	72	B	YES	YES	1427254
15	LT215/75R15	100/97	S	6PR		D	B	72	B	YES	YES	1427256
16	205R16C	110/108	S	8PR		D	B	72	B	YES	YES	1427255
16	215/70R16	100	T			D	D	72	B	YES	YES	1427320
16	225/70R16	107	T		XL	C	D	72	B	YES	YES	2437645
16	235/65R16C	121/119	R	10PR		C	B	73	B	YES	YES	2205973
16	235/70R16	106	T			D	D	72	B	YES	YES	1427312
16	245/70R16	111	H		XL	C	D	72	B	YES	YES	1427322
16	245/75R16	111	T			D	D	72	B	YES	YES	1427318
16	255/70R16	111	T			C	C	73	B	YES	YES	2164765
16	265/70R16	112	H			C	D	73	B	YES	YES	1427315
16	LT225/75R16	115/112	S	10PR		C	B	72	B	YES	YES	1427259
16	LT235/85R16	120/116	S	10PR		D	B	72	B	YES	YES	1427260
16	LT245/70R16	113/110	S	8PR		D	B	72	B	YES	YES	1427257
16	LT245/75R16	120/116	S	10PR		C	B	72	B	YES	YES	1427258
16	LT265/75R16	123/120	S	10PR		D	B	72	B	YES	YES	1427261
17	225/65R17	102	H			D	D	72	B	YES	YES	1427319
17	235/65R17	108	H		XL	C	D	72	B	YES	YES	1427321
17	245/65R17	111	H		XL	C	D	72	B	YES	YES	1427314
17	255/65R17	114	T		XL	C	C	73	B	YES	YES	2164759
17	265/65R17	112	H			C	D	73	B	YES	YES	1427416
17	265/70R17	115	T			C	C	73	B	YES	YES	2164778
17	LT225/70R17	110/107	S	8PR		C	B	73	B	YES	YES	2437655
17	LT245/70R17	119/116	S	10PR		C	A	72	B	YES	YES	2437658
18	235/55R18	104	V		XL	C	D	72	B	YES	YES	2437647
18	235/60R18	107	T		XL	C	D	72	B	YES	YES	2437649
18	255/60R18	112	H		XL	C	C	73	B	YES	YES	2164755
18	265/60R18	110	T			C	D	73	B	YES	YES	1427367
18	265/65R18	116	T		XL	C	C	73	B	YES	YES	2164775
19	255/55R19	111	V		XL	C	C	73	B	YES	YES	2164752
20	265/50R20	111	T		XL	B	D	73	B	YES	YES	1427316
20	275/55R20	117	T		XL	B	D	73	B	YES	YES	2431774
20	285/50R20	116	T		XL	C	C	73	B	YES	YES	2164798

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

SBL: Serrated Black Letter | OWL: Outlined White Letter

RXQUEST

NEW!

R/T

SUV

Rugged terrain without compromise.



ROADX TYRE

TRAVERSABLE | CROSS-COUNTRY | HIGH DURABILITY | PUNCTURE RESISTANT | RESILIENT



RXQUEST R/T SQUARE PROFILE DESIGN FOR MAXIMUM CONTACT AND CONTROL

The wide tread footprint creates a near-square contact patch, distributing ground pressure evenly for enhanced stability, steering precision, and reduced irregular wear. Advanced contour optimization improves load balance and extends tread life under demanding conditions.



RUGGED TREAD DESIGN WITH BALANCED COMFORT

Inspired by M/T patterns, it features bold, interlocking tread blocks and deep, open grooves for outstanding grip in mud, gravel, and snow. The stepped shoulder pattern and 3D sipes provide powerful traction while maintaining low noise and refined comfort for daily driving.



REINFORCED SIDEWALL FOR STRENGTH AND PROTECTION

A 3D stepped shoulder and thickened sidewall protect against cuts and impacts while enhancing the tire's muscular aesthetic. The heavy-duty three-ply carcass construction and low- heat bead compound offer superior load capacity, durability, and resistance to fatigue even under extreme use.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	31×10.50R15LT	109	Q			POR	POR	POR	POR	YES	NO	
17	265/70R17	115	Q			POR	POR	POR	POR	YES	NO	
17	33×12.50R17LT	120	Q			POR	POR	POR	POR	YES	NO	
17	LT245/70R17	119/116	Q			POR	POR	POR	POR	YES	NO	
17	LT245/75R17	121/118	Q			POR	POR	POR	POR	YES	NO	
17	LT265/65R17	120/117	Q			POR	POR	POR	POR	YES	NO	
18	255/70R18	116	Q		XL	POR	POR	POR	POR	YES	NO	
18	265/60R18	114	Q		XL	POR	POR	POR	POR	YES	NO	
18	265/65R18	116	Q		XL	POR	POR	POR	POR	YES	NO	
18	265/70R18	116	Q			POR	POR	POR	POR	YES	NO	
18	275/65R18	116	Q		XL	POR	POR	POR	POR	YES	NO	
18	LT265/60R18	119/116	Q			POR	POR	POR	POR	YES	NO	
20	265/50R20	111	Q		XL	POR	POR	POR	POR	YES	NO	
20	275/55R20	117	Q		XL	POR	POR	POR	POR	YES	NO	
20	275/60R20	116	Q		XL	POR	POR	POR	POR	YES	NO	
20	285/50R20	116	Q		XL	POR	POR	POR	POR	YES	NO	
20	33×12.50R20LT	119	Q			POR	POR	POR	POR	YES	NO	
20	LT275/55R20	120/117	Q			POR	POR	POR	POR	YES	NO	
22	285/45R22	114	Q		XL	POR	POR	POR	POR	YES	NO	
22	33×12.50R22LT	114	Q			POR	POR	POR	POR	YES	NO	
22	35×12.50R22LT	121	Q			POR	POR	POR	POR	YES	NO	

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

OWL: Outlined White Letter

RXQUEST

M/T

SUV

Specially designed for cross-country enthusiasts.

TRAVERSABLE | CROSS-COUNTRY | HIGH DURABILITY | PUNCTURE RESISTANT | RESILIENT



ROADX TYRE



TOUGHNESS

The shield design which extends onto the sidewall protects from abrasions and increases traction on muddy roads.



OFF-ROAD GRIP

Deepend grooves effectively discharges mud and allows for better grip on both muddy and rocky roads.

OFF-ROAD HANDLING

Large shoulder blocks greatly enhance handling on muddy and rocky roads.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	30×9.50R15LT	104	Q	6PR		POR	POR	POR	POR	YES		
15	31×10.50R15LT	109	Q	6PR		POR	POR	POR	POR	YES		
15	33×12.50R15LT	108	Q	6PR		POR	POR	POR	POR	YES		
15	35×12.50R15LT	113	Q	6PR		POR	POR	POR	POR	YES		
15	LT235/75R15	104/101	Q	6PR		POR	POR	POR	POR	YES		
16	LT235/85R16	120/116	Q	10PR		POR	POR	POR	POR	YES		
16	LT245/75R16	120/116	Q	10PR		POR	POR	POR	POR	YES		
17	33×12.50R17LT	114	Q	8PR		POR	POR	POR	POR	YES		
17	35×12.50R17LT	121	Q	10PR		POR	POR	POR	POR	YES		
17	LT265/70R17	121/118	Q	10PR		POR	POR	POR	POR	YES		
17	LT285/70R17	121/118	Q	10PR		POR	POR	POR	POR	YES		
18	33×12.50R18LT	118	Q	10PR		POR	POR	POR	POR	YES		
20	33×12.50R20LT	114	Q	10PR		POR	POR	POR	POR	YES		
20	35×12.50R20LT	121	Q	10PR		POR	POR	POR	POR	YES		
20	LT305/55R20	121/118	Q	10PR		POR	POR	POR	POR	YES		

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

OWL: Outlined White Letter

RXMOTION

ROADX TYRE

4S

ALL-SEASON

Innovative high performance tyre that combines comfort and fuel economy.





SAFETY

A unique sipe design grealy improves grip and braking responsiveness.

DRIVING COMFORT

Tread design is optimized for a comfortable drive year-round.

OVERALL PERFORMANCE

Tread grooves improve overall handling and driving stability.





INNER PATTERN

Improved handling in snow and rain.

OUTER PATTERN

Handling performance and stability in dry conditions.

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/70R13	75	T			D	C	71	B	YES	YES	429802
13	155/80R13	79	T			D	C	71	B	YES	YES	429815
14	155/65R14	75	T			D	C	71	B	YES	YES	429780
14	165/60R14	79	H		XL	D	C	71	B	YES	YES	429819
14	165/65R14	79	T			D	C	71	B	YES	YES	429807
14	165/70R14	85	T		XL	D	C	71	B	YES	YES	429788
14	165/65R14	79	T			D	C	71	B	YES	YES	429807
14	165/70R14	85	T		XL	D	C	71	B	YES	YES	429788
14	175/65R14	82	T			D	C	71	B	YES	YES	429298
14	175/70R14	84	T			D	C	71	B	YES	YES	429822
14	175/70R14	88	T		XL	D	C	71	B	YES	YES	429826
14	185/60R14	82	T			D	C	71	B	YES	YES	429791
14	185/65R14	86	T			D	C	71	B	YES	YES	429804
15	175/65R15	84	H			D	C	71	B	YES	YES	429830
15	185/55R15	82	H			D	C	71	B	YES	YES	429834
15	185/60R15	88	H		XL	D	C	71	B	YES	YES	429772
15	185/65R15	88	H			D	C	71	B	YES	YES	429769
15	185/65R15	92	T		XL	D	C	71	B	YES	YES	429871
15	195/50R15	82	H			D	C	71	B	YES	YES	429797
15	195/55R15	85	H			D	C	71	B	YES	YES	429800
15	195/60R15	88	H			D	C	71	B	YES	YES	429785
15	195/65R15	91	H			D	C	71	B	YES	YES	429776
16	195/55R16	87	V			D	C	71	B	YES	YES	429837
16	195/55R16	91	V		XL	D	C	72	B	YES	YES	1420424
16	205/45R16	87	V		XL	D	C	71	B	YES	YES	429838
16	205/55R16	94	H		XL	D	B	71	B	YES	YES	429293
16	205/55R16	94	V		XL	D	B	71	B	YES	YES	429299
16	205/60R16	96	V		XL	D	B	72	B	YES	YES	429848
16	215/55R16	97	V		XL	D	B	72	B	YES	YES	429852
16	215/60R16	99	V		XL	C	B	72	B	YES	YES	429854
16	225/55R16	99	V		XL	C	B	72	B	YES	YES	429858
17	205/50R17	93	V		XL	D	C	71	B	YES	YES	429863
17	225/45R17	94	V		XL	D	B	72	B	YES	YES	429810
17	225/45R17	94	Y		XL	D	B	72	B	YES	YES	1420456
17	225/50R17	98	V		XL	C	B	72	B	YES	YES	429867
17	225/50R17	98	Y		XL	C	B	72	B	YES	YES	1420472

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

NEW!

MULTI SEASON

ALL-SEASON

Confident performance in every season.



SKID RESISTANT | SNOW TRACTION | HANDLING | COMFORT | 3PMSF



OPTIMIZED TREAD PROFILE

Tread profile engineered to improve contact pressure distribution, contributing to smoother handling response and better all-round driving stability.



LARGE-ANGLED V-SHAPED GROOVE LAYOUT

Aggressive, large-angle V-shaped groove pattern works together with reverse-direction channels to rapidly evacuate snow from the tread surface, ensuring stable traction in winter conditions.



ADVANCED ALL SEASON TREAD COMPOUND

Significantly improves grip and stability on snow covered roads, delivering confident control in winter conditions with 3PMSF certification.



OPTIMIZED SIPE STRUCTURE

Strategically arranged low-density straight sipes increase the stiffness of the tread blocks, enhancing grip and control on dry, wet, and snowy roads while maintaining precise handling.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/65R13	73	T			D	B	69	B	YES	YES	
13	155/70R13	75	T			D	B	69	B	YES	YES	
13	155/80R13	79	T			D	B	69	B	YES	YES	
14	155/65R14	75	T			D	B	69	B	YES	YES	
14	155/65R14	75	T			D	B	69	B	YES	YES	
14	165/60R14	79	H		XL	D	B	69	B	YES	YES	
14	165/65R14	79	T			D	B	69	B	YES	YES	
14	165/70R14	81	T			D	B	69	B	YES	YES	
14	175/65R14	82	T			D	B	69	B	YES	YES	
14	175/70R14	88	T		XL	D	B	69	B	YES	YES	
14	175/70R14	84	T			D	B	69	B	YES	YES	
14	185/55R14	80	H			D	B	69	B	YES	YES	
14	185/60R14	82	H			D	B	70	B	YES	YES	
14	185/65R14	86	T			D	B	70	B	YES	YES	
15	155/60R15	74	T			D	B	69	B	YES	YES	
15	165/65R15	81	T			D	B	69	B	YES	YES	
15	175/55R15	77	T			D	B	69	B	YES	YES	
15	175/65R15	88	H		XL	D	B	69	B	YES	YES	
15	185/55R15	82	H			D	B	69	B	YES	YES	
15	185/60R15	88	H		XL	C	B	70	B	YES	YES	
15	185/65R15	88	T			C	B	70	B	YES	YES	
15	185/65R15	92	H		XL	C	B	70	B	YES	YES	
15	195/50R15	82	V			D	B	70	B	YES	YES	
15	195/55R15	85	H			D	B	70	B	YES	YES	
15	195/60R15	88	H			D	B	70	B	YES	YES	
15	195/65R15	91	H			D	B	70	B	YES	YES	
15	195/65R15	95	T		XL	D	B	70	B	YES	YES	
15	205/65R15	99	V		XL	C	B	70	B	YES	YES	
16	175/60R16	86	H		XL	D	B	69	B	YES	YES	
16	185/55R16	87	V		XL	D	B	70	B	YES	YES	
16	195/45R16	84	V		XL	D	B	70	B	YES	YES	
16	195/50R16	88	V		XL	D	B	70	B	YES	YES	
16	195/55R16	87	V			D	B	70	B	YES	YES	

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

NEW!

MULTI SEASON

ALL-SEASON

Confident performance in every season.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
16	195/55R16	91	V		XL	C	B	70	B	YES	YES	
16	205/45R16	87	V		XL	C	B	70	B	YES	YES	
16	205/55R16	91	H			C	A	70	B	YES	YES	
16	205/55R16	94	V		XL	C	A	70	B	YES	YES	
16	205/60R16	96	V		XL	C	A	70	B	YES	YES	
16	205/65R16	95	H			D	B	70	B	YES	YES	
16	215/45R16	90	V		XL	D	B	70	B	YES	YES	
16	215/55R16	93	H			C	B	70	B	YES	YES	
16	215/55R16	97	V		XL	C	B	70	B	YES	YES	
16	215/60R16	99	H		XL	C	B	70	B	YES	YES	
16	215/65R16	102	V		XL	C	A	70	B	YES	YES	
16	225/55R16	99	W		XL	C	B	70	B	YES	YES	
16	235/60R16	104	V		XL	C	B	70	B	YES	YES	
17	205/45R17	88	Y		XL	C	B	70	B	YES	YES	
17	205/50R17	93	W		XL	C	A	70	B	YES	YES	
17	205/55R17	95	W		XL	C	B	70	B	YES	YES	
17	215/40R17	87	W		XL	D	B	70	B	YES	YES	
17	215/45R17	91	Y		XL	D	B	70	B	YES	YES	
17	215/50R17	95	W		XL	C	B	70	B	YES	YES	
17	215/55R17	98	W		XL	C	B	70	B	YES	YES	
17	215/60R17	100	V		XL	B	A	70	B	YES	YES	
17	215/65R17	103	V		XL	C	B	70	B	YES	YES	
17	225/45R17	94	Y		XL	D	A	70	B	YES	YES	
17	225/50R17	98	Y		XL	C	A	70	B	YES	YES	
17	225/55R17	101	W		XL	C	A	70	B	YES	YES	
17	225/60R17	103	V		XL	C	B	70	B	YES	YES	
17	225/65R17	106	V		XL	C	B	70	B	YES	YES	
17	235/45R17	97	W		XL	C	B	70	B	YES	YES	
17	235/55R17	103	W		XL	B	A	70	B	YES	YES	
17	235/65R17	108	W		XL	C	B	70	B	YES	YES	
17	265/65R17	112	H			B	B	72	B	YES	YES	
18	205/40R18	86	Y		XL	C	B	70	B	YES	YES	

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
18	205/45R18	90	W		XL	C	B	70	B	YES	YES	
18	215/50R18	92	W			D	B	70	B	YES	YES	
18	215/55R18	99	V		XL	B	B	70	B	YES	YES	
18	225/40R18	92	Y		XL	D	A	70	B	YES	YES	
18	225/45R18	95	Y		XL	C	A	70	B	YES	YES	
18	225/50R18	99	W		XL	C	A	70	B	YES	YES	
18	225/55R18	102	V		XL	C	A	70	B	YES	YES	
18	225/60R18	104	W		XL	C	B	70	B	YES	YES	
18	235/40R18	95	Y		XL	C	B	70	B	YES	YES	
18	235/45R18	98	Y		XL	C	A	70	B	YES	YES	
18	235/50R18	101	V		XL	C	B	70	B	YES	YES	
18	235/55R18	104	V		XL	B	B	70	B	YES	YES	
18	235/60R18	107	W		XL	B	B	70	B	YES	YES	
18	235/65R18	110	V		XL	B	B	70	B	YES	YES	
18	245/40R18	97	Y		XL	C	A	70	B	YES	YES	
18	245/45R18	100	W		XL	C	B	70	B	YES	YES	
18	255/55R18	109	W		XL	B	B	72	B	YES	YES	
18	265/60R18	114	V		XL	B	B	72	B	YES	YES	
19	225/40R19	93	Y		XL	C	B	70	B	YES	YES	
19	225/45R19	96	W		XL	C	A	70	B	YES	YES	
19	225/55R19	103	W		XL	C	A	70	B	YES	YES	
19	235/40R19	96	Y		XL	C	B	70	B	YES	YES	
19	235/50R19	103	W		XL	C	A	70	B	YES	YES	
19	235/55R19	105	W		XL	C	A	70	B	YES	YES	
19	245/45R19	102	Y		XL	C	B	70	B	YES	YES	
19	255/40R19	100	Y		XL	C	B	72	B	YES	YES	
19	255/50R19	107	W		XL	B	B	72	B	YES	YES	
20	195/55R20	95	H		XL	C	B	70	B	YES	YES	
20	235/55R20	105	V		XL	C	B	70	B	YES	YES	
20	245/45R20	103	W		XL	C	B	70	B	YES	YES	
20	245/50R20	105	V		XL	C	B	70	B	YES	YES	
20	255/45R20	105	W		XL	C	B	72	B	YES	YES	

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXQUEST

ROADX TYRE

VAN 4S LTC

The VAN 4S is an all-season tyre created specifically for commercial applications.



WEAR RESISTANCE | HANDLING | PUNCTURE RESISTANT | RESILIENT



WET PERFORMANCE

Main tread grooves help to maximize traction and offers excellent water draining on wet roads.



SNOW PERFORMANCE

The multi-angle tread block sipes improve traction in snow and mud.



DRIVING COMFORT

Channels built between the tread blocks reduce tyre vibrations for less noise emissions and improved driving comfort.



SERVICE LIFE

Extra wide shoulders promote even tread wear and improve high-speed stability.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/70R14C	95/93	T			D	C	71	B	YES	YES	2479628
15	195/70R15C	104/102	T	8PR		D	C	71	B	YES	YES	1281744
15	205/65R15C	102/100	T	6PR		D	C	71	B	YES	YES	1281732
15	205/70R15C	106/104	T	8PR		C	C	71	B	YES	YES	1281727
15	215/70R15C	109/107	T	8PR		C	C	71	B	YES	YES	1281901
15	225/70R15C	112/110	T	8PR		C	C	71	B	YES	YES	1281747
16	195/60R16C	99/97	H	6PR		D	C	71	B	YES	YES	1281650
16	195/65R16C	104/102	T	8PR		D	C	71	B	YES	YES	1281906
16	195/75R16C	107/105	T	8PR		C	C	71	B	YES	YES	1281909
16	205/65R16C	107/105	T	8PR		C	C	71	B	YES	YES	1281752
16	205/75R16C	110/108	T	8PR		C	C	71	B	YES	YES	1281647
16	215/60R16C	103/101	T			C	C	71	B	YES	YES	2479749
16	215/65R16C	109/107	T	8PR		C	C	71	B	YES	YES	1281913
16	215/75R16C	113/111	T	8PR		C	C	71	B	YES	YES	1281914
16	225/65R16C	112/110	T	8PR		C	C	71	B	YES	YES	1281738
16	225/75R16C	121/120	R			C	C	71	B	YES	YES	2479725
16	235/65R16C	115/113	T	8PR		C	C	71	B	YES	YES	1281735

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

BSW Black Sidewall

RXFROST

ROADX TYRE

WU01

WINTER UHP STUDLESS

WU01 is equipped with a special tread compound and wide tread that offers excellent performance on ice and snow.

SNOW GRIP | SKID RESISTANT | LOW TEMPERATURE | HANDLING | 3PMSF



WINTER SAFETY

The tread maintains softness in low temperatures to ensure passenger safety while serrated sipes improve grip on ice and snow.



WINTER PERFORMANCE

Three main grooves provide great handling in extreme winter weather conditions by efficiently draining snow and ice.

WINTER GRIP

The sides of the main grooves are equipped with a serrated design that helps improve grip on ice and snow.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	195/65R15	95	T		XL	D	C	72	B	YES	YES	2300375
15	205/65R15	94	H			E	C	72	B	YES	YES	2300526
16	205/55R16	91	H			E	C	72	B	YES	YES	2300523
16	215/55R16	97	H		XL	D	C	72	B	YES	YES	2300528
16	215/60R16	99	H		XL	D	C	72	B	YES	YES	2300534
16	215/65R16	98	H			D	C	72	B	YES	YES	2300535
16	225/55R16	99	H		XL	D	C	72	B	YES	YES	2300545
16	225/60R16	98	H			D	C	72	B	YES	YES	2300552
17	205/45R17	88	H		XL	E	C	72	B	YES	YES	2300379
17	205/45R17	88	V		XL	E	C	72	B	YES	YES	2300520
17	205/50R17	89	H			E	C	72	B	YES	YES	2300521
17	205/50R17	89	V			E	C	72	B	YES	YES	2300522
17	205/55R17	95	H		XL	D	C	72	B	YES	YES	2300524
17	205/55R17	95	V		XL	D	C	72	B	YES	YES	2300525
17	215/45R17	87	V			E	C	72	B	YES	YES	2300527
17	215/55R17	94	H			E	C	72	B	YES	YES	2300529
17	215/55R17	94	V			E	C	72	B	YES	YES	2300530
17	215/55R17	98	V		XL	D	C	72	B	YES	YES	2300531
17	225/45R17	91	H			E	C	72	B	YES	YES	2300539
17	225/45R17	91	V			E	C	72	B	YES	YES	2300541
17	225/45R17	94	V		XL	E	C	72	B	YES	YES	2300542
17	225/50R17	98	H		XL	D	C	72	B	YES	YES	2300543
17	225/50R17	98	V		XL	D	C	72	B	YES	YES	2300544
17	225/55R17	97	H			D	C	72	B	YES	YES	2300546
17	225/55R17	97	V			D	C	72	B	YES	YES	2300547
17	225/55R17	101	V		XL	D	C	72	B	YES	YES	2300550
17	225/65R17	102	S			D	C	72	B	YES	YES	2300555
17	225/65R17	102	T			D	C	72	B	YES	YES	2300556
17	235/45R17	94	H			E	C	72	B	YES	YES	2300559
17	235/45R17	94	V			E	C	72	B	YES	YES	2300561
17	235/55R17	99	H			D	C	72	B	YES	YES	2300564
17	235/65R17	104	S			D	C	72	B	YES	YES	2300567
17	265/65R17	112	S			C	C	72	B	YES	YES	2300593
18	215/55R18	99	H		XL	D	C	72	B	YES	YES	2300532
18	225/40R18	92	H		XL	E	C	72	B	YES	YES	2300536
18	225/40R18	92	V		XL	E	C	72	B	YES	YES	2300537
18	235/40R18	95	V		XL	D	C	72	B	YES	YES	2300557
18	235/45R18	98	H		XL	D	C	72	B	YES	YES	2300563
18	235/55R18	104	H		XL	D	C	72	B	YES	YES	2300565
18	245/40R18	97	H		XL	D	C	72	B	YES	YES	2300568
18	245/45R18	100	H		XL	D	C	72	B	YES	YES	2300572
18	255/55R18	109	H		XL	D	C	72	B	YES	YES	2300592
19	225/40R19	93	V		XL	E	C	72	B	YES	YES	2300538
19	245/40R19	98	H		XL	D	C	72	B	YES	YES	2300570
19	245/55R19	103	V			D	C	72	B	YES	YES	2300587
19	245/55R19	103	H			D	C	72	B	YES	YES	2300585
19	255/35R19	96	H		XL	D	C	72	B	YES	YES	2300588
19	255/40R19	100	V		XL	D	C	72	B	YES	YES	2300590
19	255/50R19	107	H		XL	D	C	73	B	YES	YES	2300591
19	275/35R19	100	H		XL	D	A	73	B	YES	YES	2300594
20	275/40R20	106	V		XL	D	A	73	B	YES	YES	2300596
20	275/45R20	110	V		XL	C	A	73	B	YES	YES	2300598
21	295/35R21	107	V		XL	D	A	74	B	YES	YES	2300600

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXFROST

ROADX TYRE

ARCTIC

WINTER HP STUDLESS

This studless winter tyre is equipped with a dedicated winter compound and tread design that help improve handling and grip, thus offering piece of mind when driving on ice and snow.





IMPROVED GRIP

Fine tread sipes effectively improve the tyre's flexibility and ground contact area. This improves grip and handling performance thus offering better driving safety in wet and winter conditions.



WINTER SAFETY

The upper portion of the sidewall sports a fang-like design that bites into snow. This design overall helps to enhance grip in snow, reduce the occurrence of side-skidding, and improve overall driving safety.



WINTER PERFORMANCE

Specially designed winter rubber compound helps maintain tyre softness and flexibility for exceptional grip on ice and snow, while also reducing rolling resistance for a longer tyre life.

ASYMMETRIC PATTERN

Inner tread elements are equipped with long horizontal tread grooves that improve traction performance while outer tread elements boast large tread blocks that help maintain steady handling and grip while turning.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/65R13	73	T			D	D	70	B	YES	YES	2046693
13	155/70R13	75	T			D	D	70	B	YES	YES	2046697
13	165/70R13	79	T			D	D	70	B	YES	YES	2046699
13	175/70R13	82	T			D	C	70	B	YES	YES	1543890
14	175/65R14	82	T			D	C	70	B	YES	YES	1543895
14	175/70R14	84	T			D	C	70	B	YES	YES	1543897
14	185/60R14	82	T			D	C	70	B	YES	YES	1543902
14	185/65R14	86	T			D	C	70	B	YES	YES	1543905
14	185/70R14	88	T			C	C	70	B	YES	YES	1543909
14	195/60R14	86	T			C	C	71	B	YES	YES	1543913
14	195/70R14	91	T			C	C	71	B	YES	YES	2046710
14	205/70R14	98	T		XL	C	C	71	B	YES	YES	2046724
15	185/55R15	86	T		XL	C	C	70	B	YES	YES	2046704
15	185/60R15	84	T			C	C	70	B	YES	YES	1543915
15	185/65R15	88	T			D	C	70	B	YES	YES	1543920
15	195/55R15	85	H			C	C	71	B	YES	YES	1543923
15	195/60R15	88	H			D	C	71	B	YES	YES	1543927
15	195/65R15	91	T			C	C	71	B	YES	YES	1543935
15	205/65R15	94	H			C	C	71	B	YES	YES	1543944
15	205/70R15	96	T			C	C	71	B	YES	YES	1543950
15	215/70R15	98	T			C	C	71	B	YES	YES	2046725
15	235/75R15	105	S			C	C	71	B	YES	YES	2046728
16	195/50R16	88	H		XL	C	C	71	B	YES	YES	1543957
16	195/55R16	87	H			C	C	71	B	YES	YES	1543962
16	195/60R16	89	H			C	C	71	B	YES	YES	1543965
16	205/55R16	91	H			C	C	71	B	YES	YES	1543975
16	205/60R16	92	H			C	C	71	B	YES	YES	1543978
16	215/55R16	93	H			C	C	71	B	YES	YES	1543980
16	215/60R16	95	H			C	C	71	B	YES	YES	1543982
16	215/65R16	98	T			C	C	71	B	YES	YES	1544003
16	215/70R16	100	S			C	C	71	B	YES	YES	1544005
16	225/70R16	103	S			C	C	71	B	YES	YES	1544011
17	205/50R17	89	H			C	C	71	B	YES	YES	1544015
17	215/45R17	87	H			D	C	71	B	YES	YES	1544020
17	215/50R17	91	H			C	C	71	B	YES	YES	1544032
17	215/55R17	94	H			C	C	71	B	YES	YES	1544034
17	215/60R17	96	H			C	C	71	B	YES	YES	1544039
17	225/45R17	91	H			C	C	71	B	YES	YES	1544042
17	225/50R17	98	H		XL	C	C	71	B	YES	YES	1544051
17	225/55R17	97	H			C	C	71	B	YES	YES	1544055
17	225/55RF17	101	H		XL	D	C	71	B	YES	YES	1544059
17	225/60R17	99	H			C	C	71	B	YES	YES	1544062
17	225/65R17	102	S			C	C	71	B	YES	YES	1544065
17	235/45R17	94	H			C	C	71	B	YES	YES	1544098
17	235/65R17	104	S			C	C	71	B	YES	YES	1545157
18	215/55R18	99	H		XL	C	C	71	B	YES	YES	1545158
18	235/55R18	104	H		XL	C	C	71	B	YES	YES	1545159
18	235/60R18	103	H			C	C	71	B	YES	YES	1545160
18	245/45R18	100	H		XL	C	C	71	B	YES	YES	1545161
18	245/45RF18	100	H		XL	D	C	71	B	YES	YES	1545162

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol


RXFROST

ROADX TYRE

WH01

WINTER HP STUDLESS

Designed to offer excellent performance in winter weather conditions.



SKID RESISTANT | SNOW TRACTION | LOW TEMPERATURE | COMFORT | 3PMSF



FUEL EFFICIENCY

The special tread compound reduces rolling resistance for better fuel efficiency.

WINTER PERFORMANCE

A reinforced center rib improves handling and high speed performance while multiple sipes enhance grip and braking capabilities on snow and ice.



WINTER SAFETY

Zig-zag grooves improve the tyre's self-cleaning capabilities for a safer drive on snow and ice.

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/65R13	73	T			E	C	71	B	YES	YES	2293296
13	155/70R13	75	T			E	C	71	B	YES	YES	2293299
13	165/70R13	79	T			E	C	71	B	YES	YES	2293302
13	165/70R13	83	T		XL	E	C	71	B	YES	YES	2293305
13	175/70R13	82	T			E	C	71	B	YES	YES	2293321
14	165/65R14	79	T			E	C	71	B	YES	YES	2293301
14	165/70R14	81	T			E	C	71	B	YES	YES	2293308
14	165/70R14	85	T		XL	E	C	71	B	YES	YES	2293311
14	175/65R14	82	H			E	C	71	B	YES	YES	2293315
14	175/65R14	86	T		XL	E	C	71	B	YES	YES	2293316

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/70R14	84	T			E	C	71	B	YES	YES	2293322
14	175/70R14	88	T		XL	E	C	71	B	YES	YES	2293324
14	185/60R14	82	H			E	C	71	B	YES	YES	2293327
14	185/65R14	86	T			E	C	71	B	YES	YES	2293336
14	185/65R14	86	H			E	C	71	B	YES	YES	2293333
14	185/70R14	88	H			E	C	71	B	YES	YES	2293344
14	195/70R14	91	H			E	C	72	B	YES	YES	2294910
14	195/70R14	95	T		XL	D	C	72	B	YES	YES	2294912
14	205/70R14	98	T		XL	D	C	72	B	YES	YES	2294931
15	175/65R15	84	H			E	C	71	B	YES	YES	2293318
15	175/65R15	88	H		XL	E	C	71	B	YES	YES	2293319
15	185/55R15	86	H		XL	E	C	71	B	YES	YES	2293325
15	185/60R15	88	H		XL	E	C	71	B	YES	YES	2293330
15	185/60R15	84	H			E	C	71	B	YES	YES	2293329
15	185/65R15	88	T			E	C	71	B	YES	YES	2293339
15	185/65R15	92	T		XL	E	C	71	B	YES	YES	2293342
15	185/65R15	88	H			E	C	71	B	YES	YES	2293338
15	185/65R15	92	H		XL	E	C	71	B	YES	YES	2293340
15	195/50R15	86	H		XL	E	C	72	B	YES	YES	2294844
15	195/50R15	86	V		XL	E	C	72	B	YES	YES	2294846
15	195/55R15	85	H			E	C	72	B	YES	YES	2294847
15	195/60R15	88	T			E	C	72	B	YES	YES	2294856
15	195/60R15	88	H			E	C	72	B	YES	YES	2294854
15	195/65R15	95	T		XL	D	C	72	B	YES	YES	2294862
15	195/65R15	91	H			E	C	72	B	YES	YES	2294857
15	205/60R15	91	H			E	C	72	B	YES	YES	2294923
15	205/65R15	94	H			D	C	72	B	YES	YES	2294927
15	215/65R15	96	H			D	C	72	B	YES	YES	2294943
16	195/45R16	84	H		XL	E	C	72	B	YES	YES	2294843
16	195/55R16	87	H			E	C	72	B	YES	YES	2294849
16	195/55R16	87	V			E	C	72	B	YES	YES	2294851
16	205/45R16	87	H		XL	E	C	72	B	YES	YES	2294913
16	205/45R16	87	V		XL	E	C	72	B	YES	YES	2294915
16	205/50R16	87	H			E	C	72	B	YES	YES	2294916
16	205/55R16	91	H			E	C	72	B	YES	YES	2294918
16	205/55R16	94	V		XL	D	C	72	B	YES	YES	2294921
16	205/60R16	96	H		XL	D	C	72	B	YES	YES	2294925
16	205/65R16	95	H			D	C	72	B	YES	YES	2294928
16	215/55R16	97	H		XL	D	C	72	B	YES	YES	2294933
16	215/55R16	97	V		XL	D	C	72	B	YES	YES	2294941
16	215/60R16	99	H		XL	D	C	72	B	YES	YES	2294942
16	215/65R16	98	H			D	C	72	B	YES	YES	2294945
16	225/55R16	99	H		XL	D	C	72	B	YES	YES	2294946
16	225/60R16	98	H			D	C	72	B	YES	YES	2294948
16	245/70R16	107	T			D	C	72	B	YES	YES	2294949

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXFROST

ROADX TYRE

WH03

WINTER HP STUDLESS

The WH03 is designed to greatly improve traction, handling, and driving stability for greater overall safety when driving in winter.



SKID RESISTANT | SNOW TRACTION | LOW TEMPERATURE | HANDLING | 3PMSF



WINTER GRIP

Large tread blocks and small sipes work together to increase overall grip for more efficient traction and braking on ice.



WINTER SAFETY

The 90 degree angle shoulder improves anti-skid performance for overall increased safety on ice and snow.

DRIVING STABILITY

The j-like shoulder design improves grip and driving stability.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/65R13	73	T			E	D	71	B	YES	YES	443259
13	155/70R13	75	T			E	D	71	B	YES	YES	443268
13	165/70R13	83	T		XL	D	D	71	B	YES	YES	443284
13	175/70R13	82	T			D	D	71	B	YES	YES	443277
14	165/70R14	85	T		XL	D	D	71	B	YES	YES	443336
14	175/65R14	82	H			D	D	71	B	YES	YES	443342
14	175/70R14	88	T		XL	D	D	71	B	YES	YES	443358
14	185/60R14	82	T			D	D	71	B	YES	YES	443350
14	185/65R14	86	T			D	D	71	B	YES	YES	443298
14	185/70R14	88	H			D	D	71	B	YES	YES	443291
14	195/60R14	86	T			D	D	72	B	YES	YES	443352
14	195/65R14	89	T			C	D	72	B	YES	YES	443941
14	195/70R14	91	H			C	D	72	B	YES	YES	443309
14	205/70R14	98	H		XL	C	D	72	B	YES	YES	443960
15	185/55R15	86	H		XL	D	D	71	B	YES	YES	443884
15	185/60R15	88	H		XL	D	D	71	B	YES	YES	443888
15	185/65R15	88	T			D	D	71	B	YES	YES	443896
15	195/55R15	85	H			D	D	72	B	YES	YES	443877
15	195/60R15	88	T			D	D	72	B	YES	YES	443911
15	195/65R15	91	T			C	D	72	B	YES	YES	443904
15	205/65R15	94	H			C	D	72	B	YES	YES	443954
15	205/70R15	96	T			C	D	72	B	YES	YES	443966
15	215/65R15	96	H			C	D	72	B	YES	YES	443987
15	215/70R15	98	T			C	D	72	B	YES	YES	443993
15	215/75R15	100	S			C	D	72	B	YES	YES	444000
15	235/75R15	109	S		XL	C	C	72	B	YES	YES	444011
16	205/55R16	91	H			C	D	72	B	YES	YES	443948
16	205/60R16	96	H		XL	C	D	72	B	YES	YES	443926
16	215/60R16	99	H		XL	C	D	72	B	YES	YES	443976
16	215/65R16	98	H			C	D	72	B	YES	YES	443932
17	215/55R17	94	H			C	D	72	B	YES	YES	443222
17	235/45R17	94	H			C	C	72	B	YES	YES	444003
18	235/60R18	107	T		XL	C	C	72	B	YES	YES	444008

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXFROST

WH12

WINTER HP STUDDABLE

The WH12 is a studdable winter tyre designed for drivers that demand maximum traction in severe winter weather conditions, letting you outperform the elements to get more out of the winter season.





V-SHAPED TREAD DESIGN

Improved grip on ice and snow, skid resistance, and effectively reduces noise emissions.



SIPE DESIGN

Optimized sipe design ensures great grip on ice and snow.

IMPROVED STUDDED TECHNOLOGY

12 rows of studs are designed to maxamize grip and traction performance for safer driving in winter weather.



SPECIAL BUFFER LAYER

Special rubber buffer layer at the bottom of the stud absorbs the impact force of snow to prevent studs from falling out.



INNOVATIVE SQUARE DESIGN

Increases the ground contact area of the tyre to effectively improve grip performance and increase skid resistance.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/70R13	75	T			E	D	71	B	YES	YES	441201
13	155/80R13	79	T			E	D	71	B	YES	YES	441285
13	165/70R13	79	T			E	D	71	B	YES	YES	441326
13	175/70R13	82	T			E	D	71	B	YES	YES	441356
14	155/65R14	75	T			E	D	71	B	YES	YES	441248
14	165/65R14	79	T			E	D	71	B	YES	YES	441345
14	175/65R14	82	T			E	D	71	B	YES	YES	441370
14	175/70R14	84	T			E	D	71	B	YES	YES	441384

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	185/60R14	82	T			E	D	71	B	YES	YES	441392
14	185/65R14	86	T			D	D	71	B	YES	YES	441404
14	185/70R14	88	T			D	D	71	B	YES	YES	441424
15	175/65R15	84	T			E	D	71	B	YES	YES	441851
15	185/55R15	82	T			E	D	71	B	YES	YES	441445
15	185/60R15	84	T			E	D	71	B	YES	YES	441412
15	185/65R15	88	T			D	D	71	B	YES	YES	441434
15	195/60R15	88	T			D	D	72	B	YES	YES	441468
15	195/65R15	91	T			D	D	72	B	YES	YES	441493
15	205/65R15	94	T			D	D	72	B	YES	YES	441503
15	205/70R15	96	T			D	D	72	B	YES	YES	443963
15	215/65R15	96	T			D	D	72	B	YES	YES	441592
15	215/70R15	98	T			D	D	72	B	YES	YES	441553
15	235/75R15	105	S			C	D	72	B	YES	YES	442591
16	205/50R16	87	T			D	D	72	B	YES	YES	442730
16	205/55R16	91	T			D	D	72	B	YES	YES	441524
16	205/60R16	92	T			D	D	72	B	YES	YES	441513
16	205/65R16	95	T			D	D	72	B	YES	YES	442583
16	215/55R16	97	H		XL	D	D	72	B	YES	YES	441576
16	215/60R16	95	T			D	D	72	B	YES	YES	441566
16	215/65R16	98	T			D	D	72	B	YES	YES	441664
16	215/70R16	100	T			D	D	72	B	YES	YES	442580
16	225/60R16	98	T			D	D	72	B	YES	YES	441539
16	225/65R16	100	T			D	D	72	B	YES	YES	441878
16	225/70R16	103	H			D	D	72	B	YES	YES	442598
16	235/70R16	106	T			C	D	72	B	YES	YES	442602
16	245/70R16	107	T			C	D	72	B	YES	YES	442643
16	245/75R16	111	S			C	D	72	B	YES	YES	442654
17	215/45R17	91	T		XL	D	D	72	B	YES	YES	442698
17	215/50R17	95	T		XL	D	D	72	B	YES	YES	442586
17	215/55R17	94	T			D	D	72	B	YES	YES	442678
17	215/60R17	96	H			D	D	72	B	YES	YES	441457
17	215/65R17	99	T			D	D	72	B	YES	YES	442670
17	225/45R17	94	H		XL	D	D	72	B	YES	YES	441607
17	225/50R17	98	H		XL	D	D	72	B	YES	YES	441629
17	225/55R17	97	T			D	D	72	B	YES	YES	442687
17	225/60R17	99	H			D	D	72	B	YES	YES	445828
17	225/65R17	102	S			D	D	72	B	YES	YES	442636
17	235/45R17	97	T		XL	D	D	72	B	YES	YES	442713
17	235/55R17	99	V			D	D	72	B	YES	YES	441789
17	235/60R17	102	H			D	D	72	B	YES	YES	442561
17	235/65R17	104	T			C	D	72	B	YES	YES	442606
17	245/65R17	107	T			C	D	72	B	YES	YES	442664
17	265/65R17	112	T			C	D	73	B	YES	YES	441887
17	265/70R17	115	S			C	D	73	B	YES	YES	442613
18	215/55R18	95	T			D	D	72	B	YES	YES	442750
18	225/40R18	92	H		XL	D	D	72	B	YES	YES	441650
18	225/45R18	95	T		XL	D	D	72	B	YES	YES	442705
18	225/55R18	98	T			D	D	72	B	YES	YES	442565
18	225/60R18	100	T			D	D	72	B	YES	YES	442563
18	235/50R18	101	T		XL	D	D	72	B	YES	YES	442735
18	235/55R18	100	H			D	D	72	B	YES	YES	442691
18	235/60R18	103	H			D	D	72	B	YES	YES	441812
18	245/45R18	100	H		XL	D	D	72	B	YES	YES	442721
18	255/55R18	105	V			C	D	73	B	YES	YES	441830
19	235/50R19	103	T		XL	C	D	72	B	YES	YES	2383009
19	235/55R19	101	H			D	D	72	B	YES	YES	442568
19	255/50R19	107	H		XL	C	D	73	B	YES	YES	442571
19	265/55R19	113	T		XL	C	D	73	B	YES	YES	2061125
20	255/45R20	105	T		XL	C	D	73	B	YES	YES	2383013
20	255/50R20	109	T		XL	C	D	73	B	YES	YES	2061110
20	275/40R20	106	H		XL	C	D	73	B	YES	YES	442577
21	255/45R21	106	T		XL	C	D	73	B	YES	YES	2061107
21	265/45R21	108	T		XL	C	D	73	B	YES	YES	2061120
22	265/40R22	106	T		XL	C	D	73	B	YES	YES	2061118
22	265/50R22	112	T		XL	C	D	73	B	YES	YES	2061123

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXFROST

WC01

WINTER LTC STUDLESS

A winter tyre product specifically designed for commercial light trucks.



SNOW GRIP | SKID RESISTANT | SNOW TRACTION | LOW TEMPERATURE | HANDLING | 3PMSF



WINTER HANDLING

The wide and jagged groove design efficiently drains snow and water out of the tyre to improve handling in winter weather.

WINTER PERFORMANCE

The intersecting blocks, grooves, and sipes allow for more effective braking on ice and snow.



WINTER BRAKING

The precision cut sipes enhance grip on ice and snow to allow for a safer driving experience.



DRIVING COMFORT

The tread width and block patterns ensure a secure contact with the road surface to improve driving comfort.

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
12	155R12C	88/86	R	8PR		D	C	71	B	YES	YES	444138
13	155R13C	85/83	R	6PR		D	C	71	B	YES	YES	444240
14	185R14C	102/100	R	8PR		D	C	71	B	YES	YES	444144
14	195R14C	106/104	R	8PR		D	C	71	B	YES	YES	444166
15	195/70R15C	104/102	S	8PR		D	C	71	B	YES	YES	444517
15	195R15C	106/104	R	8PR		D	C	71	B	YES	YES	444271
15	205/70R15C	106/104	S	8PR		D	C	71	B	YES	YES	444291
15	215/70R15C	113/111	S	10PR		D	C	71	B	YES	YES	444529
15	225/70R15C	112/110	S	8PR		D	C	71	B	YES	YES	444314
16	185/75R16C	104/102	R	8PR		D	C	71	B	YES	YES	444253
16	195/60R16C	99/97	T	6PR		C	C	71	B	YES	YES	444105
16	195/65R16C	104/102	T	8PR		D	C	71	B	YES	YES	444338
16	195/75R16C	107/105	R	8PR		C	C	71	B	YES	YES	444262
16	205/65R16C	107/105	T	8PR		D	C	71	B	YES	YES	444282
16	205/75R16C	113/111	R	10PR		C	C	71	B	YES	YES	444207
16	215/60R16C	108/106	T	8PR		D	C	71	B	YES	YES	444302
16	215/65R16C	109/107	T	8PR		D	C	71	B	YES	YES	444310
16	215/75R16C	116/114	R	10PR		D	C	71	B	YES	YES	444223
16	225/65R16C	112/110	T	8PR		D	C	71	B	YES	YES	444537
16	225/75R16C	118/116	R	10PR		D	C	71	B	YES	YES	444326
16	235/65R16C	115/113	R	8PR		D	D	71	B	YES	YES	444114
16	235/65R16C	121/119	R	10PR		C	D	71	B	YES	YES	2365385
16	285/65R16C	128	N	10PR		C	D	74	B	YES	YES	444123

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

RXFROST

WCS01

WINTER LTC STUDDABLE

The WCS01 is a studdable winter tyre designed for drivers that demand maximum traction in severe winter weather conditions, letting you outperform the elements to get more out of the winter season.



ROADX TYRE

SNOW GRIP | SKID RESISTANT | SNOW TRACTION | LOW TEMPERATURE | 3PMSF



V-SHAPED TREAD DESIGN

Improved grip on ice and snow, skid resistance, and effectively reduces noise emissions.

SIPE DESIGN

Optimized depth and length of sipes maintain tread rigidity and greatly enhance grip and handling.



IMPROVED STUDDED TECHNOLOGY

12 rows of studs are designed to maxamize grip and traction performance for safer driving in winter weather.




SPECIAL BUFFER LAYER

Special rubber buffer layer at the bottom of the stud absorbs the impact force of snow to prevent studs from falling out.



INNOVATIVE SQUARE DESIGN

Increases the ground contact area of the tyre to effectively improve grip performance and increase skid resistance.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/65R14C	90/88	Q	6PR		D	C	70	A	YES	YES	443924
14	185R14C	102/100	Q	8PR		D	C	70	A	YES	YES	443952
15	195/70R15C	104/102	Q	8PR		D	C	70	A	YES	YES	443967
15	205/70R15C	106/104	R	8PR		C	C	73	B	YES	YES	444048
15	215/70R15C	109/107	R	8PR		C	C	73	B	YES	YES	444060
15	225/70R15C	112/110	Q	8PR		C	C	73	B	YES	YES	443981
16	195/60R16C	99/97	S	6PR		D	C	70	A	YES	YES	444007
16	195/65R16C	104/102	R	8PR		D	C	70	A	YES	YES	444021
16	195/75R16C	107/105	Q	8PR		C	C	70	A	YES	YES	444029
16	205/65R16C	107/105	Q	8PR		C	C	73	B	YES	YES	443995
16	205/75R16C	110/108	R	8PR		C	C	73	B	YES	YES	444052
16	215/65R16C	109/107	R	8PR		C	C	73	B	YES	YES	444012
16	215/75R16C	113/111	R	8PR		C	C	73	B	YES	YES	444068
16	225/65R16C	112/110	R	8PR		C	C	73	B	YES	YES	444079
16	235/65R16C	115/113	R	8PR		C	C	73	B	YES	YES	444036

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2ibs | XL Extra Load | LI Load Index | SS Speed Symbol

NOTES

NOTES

ROADX
TYRE